



clayton

surfaces' **superhero**

What is **Clayton**?



Clayton is an innovative surface solution that brings together textures inspired by nature with a modern design approach. With its structure suitable for both interior and exterior use, its aesthetic appearance, and its unique interpretation of natural textures, it gives living spaces a strong, timeless, and distinctive design language. Clayton's inspiration comes from the "gecko" in nature. Just as the gecko can perfectly adhere to any surface, renew itself, and demonstrate extraordinary durability, Clayton also adapts seamlessly to any space with its superior adhesion strength, long-lasting structure, and flexible character. This inspiration is reflected in the product identity through core values such as harmony, durability, and sustainability.

Reinterpreting the strength of natural stone, the depth of rock, and the warmth of earth through contemporary surface design, Clayton brings the character of nature into living spaces. With its low carbon footprint and environmentally friendly production approach, it offers a solution that respects natural resources. Thanks to its flexible and modular structure, Clayton easily adapts to different surfaces and aims to build a more sustainable and innovative world inspired by nature. If you want to build the future today, Clayton is with you.



Compare **Advantages**

Clayton is a next-generation architectural surface coating solution developed with natural mineral content. With its structure suitable for both interior and exterior use, it brings together naturalness, aesthetics, and technical performance within a contemporary architectural approach. Combining the natural character of minerals, stone, soil, and sand with environmentally friendly components, Clayton is produced using sustainable raw materials reclaimed from construction and industrial sectors, along with stone powder and natural sand. After drying, grinding, classification, and modification processes, the material is shaped using low-temperature 3D molding technology. Thanks to its emission-free production approach, it offers an environmentally conscious process, while the recyclable nature of the materials used makes Clayton a highly sustainable solution. Thus, low carbon emissions, energy efficiency, and long service life are combined within a single surface system. Clayton is not only a decorative coating; it is a next-generation architectural façade system that combines environmental responsibility with technical performance.


Criteria	Exterior Facade Ceramics	Real Stone Coating	Dry-Hung Stone	Dry-Hung Aluminum Panel	CLAYTON Next-Generation Architectural Surface System
Service Life	20 Years	5-8 Years	20 Years	20 Years	30+ Years
Environmental Profile	Limited	Limited	Limited	Limited	Recyclable System
Fire Resistance	Class A	-	Weak in dry installation / Class A in wet installation	Fire Retardant	Class A2
Freeze Resistance	50 Cycles	Weak	Medium	Sensitive to expansion	High resistance up to 100 cycles
Safety	Risk of Falling	Risk of cracking / detachment	May pose hidden danger	Risk of Falling	High Safety
Cleaning / Maintenance	Easy to Clean	Requires periodic maintenance	Easy to Clean	Easy to Clean	Low Maintenance
Impact Resistance	Low	Medium	Durable	May Deform	High
Aesthetic Variety	Uniform Appearance	General	Natural Look	Industrial Look	Stone, Wood, Leather, Metal Effect



APPLICATION AND MAINTENANCE



1. Surface Preparation



2. Cutting & Application



3. Installation on Surface



4. Joint Filling



5. Corner Detailing



6. Cleaning



MAINTENANCE AND REPAIR TIPS

Routine Cleaning: Wipe with a soft cloth or sponge using clean water.

Avoid Chemicals: Do not use acidic, bleaching, or harsh cleaning products.

Avoid Abrasives: Do not use abrasive materials that may damage the surface.

APPLICABLE SURFACES AND CLIMATE CONDITIONS



- Concrete
- Plywood
- Composite Panel (ACP)
- Plastered Wall
- Tiles
- Cement Board
- Glass
- Metal
- MDF Board
- Stone
- Marble
- Laminate



APPLICATION TEMPERATURE

During application and for 24 hours after application, the ambient temperature should not be below +5°C or above +40°C. During summer, avoid prolonged exposure to direct sunlight before installation.



CLIMATE CONDITIONS

Application should not be carried out under the following adverse weather conditions:

- Strong winds
- Thunderstorms and lightning
- Rain
- Snow

During application, necessary protective measures should be taken against rainwater or running water from washed surfaces.

AREAS OF USE



MODULAR STRUCTURES AND PREFABRICATION

- ☒ Container Homes, Offices, Tiny Houses and Exterior Claddings

Provides modern designs with impact resistance and aesthetic surface options.



FURNITURE AND INTERIOR ARCHITECTURE

- ☒ Furniture Coatings
- ☒ Store and Exhibition Stand Decorations
- ☒ Shopping Malls and Office Decoration



CONSTRUCTION AND ARCHITECTURE

- ☒ Exterior Facade Claddings
- ☒ Interior Wall and Ceiling Claddings
- ☒ Ground Claddings
- ☒ Thermal Insulation and Coating
- ☒ Garden Wall and Fence
- ☒ Swimming Pool

Provides comfort with lightweight structures, fast application, and easy installation.

Suitable for renovation; resistant to impact, fire, and environmental conditions.



MARINE AND TRANSPORTATION

- ☒ Ship and Yacht Decorations
- ☒ Metro and Tunnel Claddings
- ☒ Airport and Bus Stations

Suitable for 3D applications, flexible and modular panel system.




OTHER SECTORS

- Caravan and Special Vehicle Interior Decoration
- Art and Hobby Applications
- Advertising and Signage Sector
- Acoustic Panels and Sound Insulation

Traverten ^{1/3}

Clayton
2026

CI-1801



CI-1801 1200 x 600 x 2,8 mm

CI-1802




CI-1802 1200 x 600 x 3,5 mm
3000 x 1200 x 3,5 mm

CI-1803



CI-1803 1200 x 600 x 3,5 mm
3000 x 1200 x 3,5 mm

Detail



CI-1802 Texture Detail



Traverten ^{2/3}

Clayton
2026



CI-1804 1200 x 600 x 3,5 mm
3000 x 1200 x 3,5 mm




CI-1805 1200 x 600 x 3,5 mm
3000 x 1200 x 3,5 mm



CI-1806 1200 x 600 x 3,5 mm
3000 x 1200 x 3,5 mm



CI-1804 Texture Detail



Traverten ^{3/3}

Clayton
2026



CI-1809



CI-1809 1200 x 600 x 3,5 mm
3000 x 1200 x 3,5 mm

CI-1810




CI-1810 3000 x 1200 x 3,5 mm

Detail



CI-1810 Texture Detail



Tunga 1/3

Clayton
2026

CI-1501




CI-1501 1200 x 600 x 3 mm
3000 x 1200 x 3 mm

CI-1502



CI-1502 1200 x 600 x 3 mm
1195 x 595 x 3 mm
3000 x 1200 x 3 mm

CI-1503



CI-1503 1200 x 600 x 3 mm
3000 x 1200 x 3 mm

Detail




CI-1503 Texture Detail



Tunga ^{2/3}


Clayton
2026

CI-1504




CI-1504 1190 x 590 x 3 mm
1200 x 600 x 3 mm

CI-1505




CI-1505 1200 x 600 x 3 mm
3000 x 1200 x 3 mm

CI-1506



CI-1506 1200 x 600 x 3 mm

Detail



CI-1506 Texture Detail



Tunga 3/3

Clayton
2026



CI-1507



CI-1507 3000 x 1200 x 3,5 mm

CI-1508



CI-1508 3000 x 1200 x 3,5 mm

Detail




CI-1508 Texture Detail



Carra ^{1/2}

Clayton
2026

CI-7001



CI-7001 1190 x 590 x 4 mm
3000 x 1200 x 4 mm

CI-7002



CI-7002 (Cream) 1180 x 580 x 4 mm
1190 x 590 x 4 mm

CI-7003




CI-7003 (Grey) 1190 x 590 x 4 mm

Detail



CI-7003 Texture Detail



Carra ^{2/2}

Clayton
2026



CI-7004



CI-7004 1180 x 580 x 4 mm

CI-7005




CI-7005 1180 x 580 x 4 mm

Detail



CI-7005 Texture Detail



Cement

Clayton
2026

CI-5001



CI-5001 1200 x 580 x 3,2 mm

Detail



CI-5001 Texture Detail



Narva


Clayton
2026

CI-8001




CI-8001 1190 x 595 x 6,5 mm
3000 x 1200 x 6,5 mm

CI-8002




CI-8002 1200 x 600 x 6,5 mm
3000 x 1200 x 6,5 mm

CI-8004



CI-8004 1200 x 600 x 6,5 mm
3000 x 1200 x 6,5 mm

Detail



CI-8004 Texture Detail



Luna

Clayton
2026

CI-1601




CI-1601 2960 x 1060 x 9 mm

Detail



CI-1601 Texture Detail



CI-2001



CI-2001 1200 x 600 x 6 mm
2400 x 1200 x 6 mm
3000 x 1200 x 6 mm

CI-2002



CI-2002 1200 x 600 x 6 mm
2390 x 1200 x 6 mm

Detail



CI-2001 Texture Detail



Arita

Clayton
2026

CI-1001



CI-1001 1190 x 590 x 6,5 mm
2640 x 1160 x 6,5 mm

CI-1002



CI-1002 1200 x 590 x 6,5 mm
2640 x 1160 x 6,5 mm

CI-1004




CI-1004 1190 x 590 x 6,5 mm

Detail



CI-1001 Texture Detail



CI-1101




CI-1101 1200 x 600 x 7 mm

CI-1102



CI-1102 1200 x 600 x 7 mm

Detail



CI-1002 Texture Detail



Galata

Clayton
2026

CI-4001



CI-4001 1200 x 600 x 4 mm

Detail



CI-4001 Texture Detail



Renga


Clayton
2026

CI-1301




CI-1301 3000 x 600 x 9 mm

Detail



CI-1301 Texture Detail



Perge


Clayton
2026

CI-3001



CI-3001 1160 x 580 x 5 mm

Detail



CI-3001 Texture Detail



Volan

Clayton
2026

CI-6001



CI-6001 2830 x 1200 x 7 mm

CI-6002



CI-6002 2830 x 1200 x 7 mm

Detail



CI-6001 Texture Detail

Detail



CI-6002 Texture Detail



CI-1406



CI-1406 1200 x 600 x 3,5 mm

Detail




CI-1406 Texture Detail



Avron

Clayton
2026

CI-1701



CI-1701 1200 x 560 x 4,5

CI-1703



CI-1703 1200 x 560 x 4,5

CI-1704



CI-1704 1200 x 560 x 4,5

Detail



CI-1703 Texture Detail



Granit


Clayton
2026

CI-9001



CI-9001 1200 x 600 x 5 mm

CI-9002



CI-9002 1200 x 600 x 3,5 mm

CI-9004



CI-9004 1200 x 600 x 3,5 mm

Detail



CI-9004 Texture Detail



Dune

Clayton
2026

CI-1202



CI-1202 2360 x 1200 x 2,8 mm

Detail



CI-1202 Texture Detail



Crocodile

Clayton
2026

CI-2201



CI-2201 1200 x 600 x 3,5 mm

CI-2202



CI-2202 1200 x 600 x 3,5 mm

Detail



CI-2201 Texture Detail


Detail



CI-2202 Texture Detail




CI-2401



CI-2401 1180 x 590 x 3,5 mm
3000 x 1200 x 3,5 mm

Detail



CI-2401 Texture Detail




Wood

Clayton
2026



CI-1908



CI-1908 1180 x 590 x 3,5 mm

Detail




CI-1908 Texture Detail

CI-1909




CI-1909 1170 x 570 x 3,5 mm

Detail




CI-1909 Texture Detail

CI-1910




CI-1910 1180 x 590 x 3,5 mm

Detail



CI-1910 Texture Detail



Cubrik

Clayton
2026

CI-2101



CI-2101 212 x 58 x 3,5 mm

CI-2102



CI-2102 212 x 58 x 3,5 mm

CI-2103




CI-2103 212 x 58 x 3,5 mm

CI-2104



CI-2104 212 x 58 x 3,5 mm



P. 1	Cover	P. 10	CL-1504 — 1200 x 600 x 3 mm	P. 17	CL-2001 — 3000 x 1200 x 6 mm	P. 26	CL-9004 — 1200 x 600 x 3,5 mm
P. 2	What is Clayton?	P. 10	CL-1505 — 1200 x 600 x 3 mm	P. 17	CL-2002 — 1200 x 600 x 6 mm	P. 27	Dune
P. 3	Compare Advantages	P. 10	CL-1505 — 3000 x 1200 x 3,5 mm	P. 18	Arita	P. 27	CL-1202 — 2360 x 1200 x 2,8 mm
P. 4	Application and Maintenance	P. 10	CL-1506 — 1200 x 600 x 3 mm	P. 18	CL-1001 — 1190 x 590 x 6,5 mm	P. 28	Crocodile
P. 5	Areas of Use	P. 11	CL-1507 — 3000 x 1200 x 3,5 mm	P. 18	CL-1001 — 2640 x 1160 x 6,5 mm	P. 28	CL-2201 — 1200 x 600 x 3,5 mm
PP. 6-8	Traverten	P. 11	CL-1508 — 3000 x 1200 x 3,5 mm	P. 18	CL-1002 — 1200 x 590 x 6,5 mm	P. 28	CL-2202 — 1200 x 600 x 3,5 mm
P. 6	CL-1801 — 1200 x 600 x 2,8 mm	PP. 12-13	Carra	P. 18	CL-1002 — 2640 x 1160 x 6,5 mm	P. 29	Viva
P. 6	CL-1802 — 1200 x 600 x 2,8 mm	P. 12	CL-7001 — 1190 x 590 x 4 mm	P. 18	CL-1004 — 1190 x 590 x 6,5 mm	P. 29	CL-2401 — 1180 x 590 x 3,5 mm
P. 6	CL-1802 — 3000 x 1200 x 2,8 mm	P. 12	CL-7001 — 3000 x 1200 x 4 mm	P. 19	Serva	P. 29	CL-2401 — 3000 x 1200 x 3,5 mm
P. 6	CL-1803 — 1200 x 600 x 2,8 mm	P. 12	CL-7002 — 1180 x 580 x 4 mm	P. 19	CL-1101 — 1200 x 600 x 7 mm	P. 30	Wood
P. 6	CL-1803 — 3000 x 1200 x 2,8 mm	P. 12	CL-7002 — 1190 x 590 x 4 mm	P. 19	CL-1102 — 1200 x 600 x 7 mm	P. 30	CL-1908 — 1180 x 590 x 3,5 mm
P. 7	CL-1804 — 1200 x 600 x 2,8 mm	P. 12	CL-7003 — 1190 x 590 x 4 mm	P. 20	Galata	P. 30	CL-1909 — 1180 x 590 x 3,5 mm
P. 7	CL-1804 — 3000 x 1200 x 2,8 mm	P. 13	CL-7004 — 1180 x 580 x 4 mm	P. 20	CL-4001 — 1200 x 600 x 4 mm	P. 30	CL-1910 — 1170 x 570 x 3,5 mm
P. 7	CL-1805 — 1200 x 600 x 2,8 mm	P. 13	CL-7005 — 1180 x 580 x 4 mm	P. 21	Renga	P. 31	Cubrik
P. 7	CL-1805 — 3000 x 1200 x 2,8 mm	P. 14	Cement	P. 21	CL-1301 — 3000 x 600 x 9 mm,	P. 31	CL-2101 — 212 x 58 x 3,5 mm
P. 7	CL-1806 — 1200 x 600 x 2,8 mm	P. 14	CL-5001 — 1200 x 580 x 3,2 mm	P. 22	Perge	P. 31	CL-2102 — 212 x 58 x 3,5 mm
P. 7	CL-1806 — 3000 x 1200 x 3,2 - 3,8 mm	P. 15	Narva	P. 22	CL-3001 — 1160 x 580 x 5 mm	P. 31	CL-2103 — 212 x 58 x 3,5 mm
P. 8	CL-1809 — 1200 x 600 x 2,8 mm	P. 15	CL-8001 — 1200 x 600 x 6,5 mm	P. 23	Volan	P. 31	CL-2104 — 212 x 58 x 3,5 mm
P. 8	CL-1809 — 3000 x 1200 x 3,2 - 3,8 mm	P. 15	CL-8001 — 3000 x 1200 x 6,5 mm	P. 23	CL-6001 — 2830 x 1200 x 7 mm	P. 32	Product Table
P. 8	CL-1810 — 3000 x 1200 x 2,8 mm	P. 15	CL-8001 — 1190 x 595 x 6,5 mm	P. 23	CL-6002 — 2830 x 1200 x 7 mm	P. 33	Final Cover Page
PP. 9-11	Tunga	P. 15	CL-8002 — 1200 x 600 x 6,5 mm	P. 24	Aren		
P. 9	CL-1501 — 1200 x 600 x 3 mm	P. 15	CL-8002 — 3000 x 1200 x 6,5 mm	P. 24	CL-1406 — 1200 x 600 x 3,5 mm		
P. 9	CL-1501 — 3000 x 1200 x 3 mm	P. 15	CL-8004 — 1200 x 600 x 6,5 mm	P. 25	Avron		
P. 9	CL-1502 — 1200 x 600 x 3 mm	P. 15	CL-8004 — 3000 x 1200 x 6,5 mm	P. 25	CL-1701 — 1200 x 560 x 4,5 mm		
P. 9	CL-1502 — 1195 x 595 x 3 mm	P. 16	Luna	P. 25	CL-1703 — 1200 x 560 x 4,5 mm		
P. 9	CL-1502 — 3000 x 1200 x 3 mm	P. 16	CL-1601 — 2960 x 1060 x 9 mm	P. 25	CL-1704 — 1200 x 560 x 4,5 mm		
P. 9	CL-1503 — 1200 x 600 x 3 mm	P. 17	Petra	P. 26	Granit		
P. 9	CL-1503 — 3000 x 1200 x 3 mm	P. 17	CL-2001 — 1200 x 600 x 6 mm	P. 26	CL-9001 — 1200 x 600 x 5 mm		
P. 10	CL-1504 — 1190 x 590 x 3 mm	P. 17	CL-2001 — 2400 x 1200 x 6 mm	P. 26	CL-9002 — 1200 x 600 x 3,5 mm		





Bostancık St. No: 15, Çiğiltepe
Mamak, Ankara, Türkiye



www.clayton.com.tr